

**Mathematics for Economists I**  
**Problems 7**  
**Derivatives**

Find the derivative of the given function and the domain where both the function and its derivative are defined.

1.  $x^4 + 5x^3 - 2x^2 - 6x + 3$     2.  $\frac{1}{3x+2}$

3.  $\frac{x^2+3x-2}{x+1}$     4.  $(x^2 + 1) \ln x$

5.  $e^{4x-2}$     6.  $e^{x^2-x+1}$

7.  $5^x$     8.  $\ln \sqrt{2x+3}$

9.  $\sqrt{x^2 - 4}$     10.  $\log_{10}(x^2 - 1)$

11.  $\ln \left( \frac{4-2x}{x+2} \right)$     12.  $\frac{x+2}{\sqrt{x^2+1}}$

13.  $\frac{e^{1+2x}}{x^2+3x+4}$     14.  $\frac{\ln(3-x)}{x^2+4}$

15.  $\sqrt{x^2 + \frac{8}{x}}$     16.  $\frac{\sqrt{2+x}}{4x-2}$

17.  $\frac{1}{x}$     18.  $(x^2 + 1)^4$

**Solutions:**

1.  $4x^3 + 15x^2 - 4x - 6, x \in \mathbb{R}$

2.  $\frac{-3}{(3x+2)^2}, x \neq -\frac{2}{3}$

3.  $\frac{x^2+2x+5}{(x+1)^2}, x \neq -1$

4.  $2x \ln x + \frac{x^2+1}{x}, x \in \mathbb{R}_+$

5.  $4e^{4x-2}, x \in \mathbb{R}$

6.  $(2x - 1)e^{x^2-x+1}, x \in \mathbb{R}$

7.  $(\ln 5)5^x, x \in \mathbb{R}$ ; since  $5^x = e^{(\ln 5)x}$ , therefore chain rule

8.  $\frac{1}{2x+3}, x > -\frac{3}{2}$ ; is possible to differentiate as a superposition of three functions ( $\ln z, \sqrt{y}, 2x + 3$ ) or to realize that  $\ln \sqrt{y} = \frac{1}{2} \ln y$

9.  $\frac{x}{\sqrt{x^2-4}}, x \in (-\infty, -2) \cup (2, +\infty)$

10.  $\frac{1}{\ln 10} \frac{2x}{x^2-1}, x \in (-\infty, -1) \cup (1, +\infty)$ ; since  $\log_{10} y = \frac{\ln y}{\ln 10}$

**11.**  $\frac{4}{x^2-4}$ ,  $x \in (-2, 2)$ ; is possible to differentiate as a superposition of two functions ( $\ln y$ ,  $\frac{4-2x}{x+2}$ ) or to realize that  $\ln\left(\frac{4-2x}{x+2}\right) = \ln(4-2x) - \ln(x+2)$

**12.**  $\frac{1-2x}{(x^2+1)^{\frac{3}{2}}}$ ,  $x \in \mathbb{R}$ ; we differentiate this as a fraction, and the complicated fraction which results there can be expanded by  $\sqrt{x^2+1}$ , so we get rid of square roots in the numerator

**13.**  $\frac{e^{1+2x}(2x^2+4x+5)}{(x^2+3x+4)^2}$ ,  $x \in \mathbb{R}$

**14.**  $\frac{-\frac{x^2+4}{3-x} - 2x \ln(3-x)}{(x^2+4)^2} = \frac{x^2+4-2x(x-3) \ln(x-3)}{(x^2+4)^2(x-3)}$ ,  $x \in (-\infty, 3)$

**15.**  $\frac{x^3-4}{x^2 \sqrt{\frac{x^3+8}{x}}}$ ,  $x \in (-\infty, -2) \cup (0, +\infty)$

**16.**  $\frac{-2x-9}{4(2x-1)^2 \sqrt{x+2}}$ ,  $x \in (-2, \frac{1}{2}) \cup (\frac{1}{2}, +\infty)$

**17.**  $\frac{-1}{x^2}$ ,  $x \in \mathbb{R}_- \cup \mathbb{R}_+$ ; there are two ways: either as a derivative of a fraction or as a derivative of  $x^{-1}$ , try both of them

**18.**  $8x(x^2+1)^3$ ,  $x \in \mathbb{R}$ ; there are two ways: either as a superposition (inner function is  $x^2+1$ , outer function is the fourth power) or by expanding the expression and differentiate term by term (which way is faster?)